# SAFETY DATA SHEET ACCORDING TO 1907/2006/EC, ARTICLE 31

### **VITAL BLEACH**

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1: PRODUCT IDENTIFIER

Product Name	Vital Bleach
Other means of identification	
identification	Bleach
	Liquid Bleach
	Thin Bleach
	Chlorine Solution
	Sodium Hypochlorite Solution

#### 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Identified uses	Disinfectant
-----------------	--------------

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Supplier	Newline Itd
Address	Unit 7
	The Forum
	Coopers Way
	Temple Farm Industrial Estate
	Southend On Sea
	SS2 5TE
Web	www.newlineltd.co.uk
Telephone	01702 613 615
Fax	01702 616 228
Email	purchasing@newlineessex.co.uk
Email address of the competent person	sales@newlineessex.co.uk

#### 1.4 EMERGENCY TELEPHONE NUMBER

Emergency telephone number	Mon-Friday 8.00am-5.00pm: 01702 613 615
Further information	
Uses advised against	

Page 1 of 8 Revision: 1

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

2.1.1 Classification – 1999/45/EC	EYE IRRIT. 2 H319
Main Hazards	IRRITATING TO EYES

#### 2.2 LABEL ELEMENTS

# Symbols

Signal word WARNING

Hazard statement H315 Causes skin irritation

H319-Causes serious eye irritation

P102-KEEP OUT OF REACH OF CHILDREN.
Precautionary
P 15- RESTRICTED TO PROFESSIONAL USERS.

1 13 RESTRICTED TO TROTESSION RE OSERS.

P301+P330+P331- IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.

 $\label{eq:problem} \textbf{P302+350-IF ON SKIN: GENTLY WASH WITH PLENTY OF SOAP AND WATER.}$ 

P305+P351+P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If

MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL AT HAND

2.3 OTHER HAZARDS

**Precautionary** 

**Statement: Prevention** 

**Statement: Response** 

Other hazards Contact with acids liberates toxic gas

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Name	Range	EC No	CAS No	Reach No/Submission No	Classification according to 67/548/EEC
SODIUM HYPOCHLORITE 14- 15%	1-10%	231-668-3	7681-52-9	01-2119488154- 34	H315; H400

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 DESCRIPTION OF FIRST AID MEASURES

Inhalation	IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE (SHOW THE LABEL WHERE POSSIBLE). IN CASE OF ACCIDENT BY INHALATION: REMOVE CASUALTY TO FRESH AIR AND KEEP AT REST.
Eye contact	RINSE IMMEDIATELY WITH PLENTY OF WATER FOR 15 MINUTES.
Skin Contact	RINSE IMMEDIATELY WITH PLENTY OF WATER

Page 2 of 8 Revision: 1

	Ingestion	DO NOT INDUCE VOMOTING. DRINK 1 TO 2 GLASSES OF WATER. IF SWALLOWED, RINSE MOUTH WITH WATER (ONLY IF PERSON IF CONSCIOUS)		
4.2	MOST IMPORTANT SYMPTOMS A	AND EFFECTS, BOTH ACUTE AND DELAYED		
	Inhalation	INHALATION MAY CAUSE NAUSEA AND VOMITING.		
	Eye contact	IRRITATING TO EYES		
	Skin Contact	Irritating to skin		
	Ingestion	Ingestion may cause nausea and vomiting		
4.3	INDICATION OF ANY IMMEDIATE I	MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED		
	Inhalation	IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE (SHOW LABEL WHERE POSSIBLE) REMOVE THE EFFECTED PERSON FROM THE SOURCE OF CONTAMINATION IMMEDIATELY.		
	Eye contact	IRRITATING TO EYES. BATHE THE EYE WITH RUNNING WATER FOR 15 MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO.		
	Skin Contact	IRRITATING TO SKIN. RINSE IMMEDIATELY WITH PLENTY OF WATER.		
	Ingestion	INGESTION MAY CAUSE NAUSEA AND VOMITING, RINSE MOUTH THOROUGHLY. DRINK 1 TO 2 GLASSES OF WATER		
GENE	ERAL INFORMATION			
		AVOID CONTACT WITH EYES AND SKIN. IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL SEEK MEDICAL ADVICE IMMEDIATELY (SHOW LABEL WHERE POSSIBLE)		
SECT	ION 5: FIREFIGHTING MEASURES			
5.1	EXTINGUISHING MEDIA			
		WATER SPRAY		
5.2	SPECIAL HAZARDS ARISING FRO	M THE SUBSTANCE OR MIXTURE		
		CARBON DIOXIDE (CO2), IRRITATING GASES OR VAPOURS.		
5.3	Advice for firefighters			
		SELF-CONTAINED BREATHING APPARATUS (SCBA) AND PROTECTIVE CLOTHING.		
	TION 6: ACCIDENTAL RELEASE ME			
6.1	PERSONAL PRECAUTIONS, PROT	TECTIVE EQUIPMENT AND EMERGENCY PROCEDURES		
		WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION. WEAR SUITABLE GLOVES AND EYE/FACE PROTECTION.		
6.2	ENVIRONMENTAL PRECAUTIONS			

ADVISE LOCAL AUTHORITIES IF LARGE SPILLS CANNOT BE CONTAINED.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

SMALL SPILLAGES UNDER 5 LITRES FLUSH AWAY WITH PLENTY OF WATER. LARGER
SPILLAGE ABSORB WITH INERT, ABSORBENT MATERIAL. COLLECT AND PLACE IN SUITABLE
WASTE DISPOSAL CONTAINERS AND SEAL SECURELY.

#### 6.4 REFERENCE TO OTHER SECTIONS

FOR PERSONAL PROTECTION, SEE SECTION 8, FOR WASTE DISPOSAL SEE SECTION 13.

#### **FURTHER INFORMATION**

Page 3 of 8 Revision: 1

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

	ADOPT BEST MANUAL HANDLING CONSIDERATIONS WHEN HANDLING, CARRYING AND
	DISPENSING. AVOID CONTACT WITH EYES AN SKIN. KEEP ONLY IN THE ORIGINAL
	CONTAINER. KEEP OUT OF REACH OF CHILDREN.

#### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

MAY RELEASE DANGEROUS GASES (CHLORINE) DO NOT MIX WITH ANY OTHER PRODUCTS.
KEEP ONLY IN THE ORIGINAL CONTAINER.

#### 7.3 SPECIFIC END USE(S)

	THE IDENTIFIED USES FOR THIS PRODUCT ARE DETAILED IN SECTION 1.2.
SUITABLE PACKAGING	KEEP ONLY IN ORIGINAL CONTAINERS.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 CONTROL PARAMETERS

	NO DATA IS AVAILABLE ON THIS PRODUCT
--	--------------------------------------

#### 8.1.1 EXPOSURE LIMIT VALUES

Sodium Hypochlorite 14- 15%	WEL 8HR LIMIT PPM:	WEL 8-HR LIMIT MG/M3:
	WEL 15 MIN LIMIT PPM: 2MG/M3	3 WEL 15 MIN LIMIT MG/M3

#### 8.2 EXPOSURE CONTROLS



8.2.1 Appropriate engineering controls

Ensure adequate ventilation of the working area

8.2.2 Individual protection

AVOID CONTACT WITH EYES AND SKIN. WEAR SUITABLE GLOVES AND EYE FACE PROTECTION.

measures

SAFETY GLASSES

Eye/face protection

Skin protection

RUBBER GLOVES

**Hand protection** 

WEAR SUITABLE GLOVES

Skin protection - other

AVOID CONTACT WITH EYES AND SKIN. WEAR SUITABLE GLOVES AND EYE FACE

Page 4 of 8 Revision: 1

PROTECTION.

**Respiratory protection** 

Thermal hazards

NOT NORMALLY REQUIRED

CHLORINE

8.2.3 Environmental exposure

controls

NOT NORMALLY REQUIRED

Occupational exposure controls

NOT NORMALLY REQUIRED.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

**State** LIQUID

Colour YELLOW

Odour CHARACTERISTIC

рΗ 10

**Melting point** NOT APPLICABLE

Freezing point -4 **Boiling point** 105

Flash point **N**OT APPLICABLE **Evaporation rate** NOT APPLICABLE Flammability limits **N**OT APPLICABLE Vapour flammability **NOT APPLICABLE** Vapour pressure **N**OT APPLICABLE

Vapour density -1 **Relative density** 1

Fat solubility NOT APPLICABLE **Partition coefficient N**OT APPLICABLE **Autoignition temperature NOT RELEVANT Explosive N**OT APPLICABLE **Oxidising** NOT APPLICABLE Solubility **N**OT APPLICABLE

#### 9.2 **OTHER INFORMATION**

Conductivity **N**OT APPLICABLE **Surface tension** NOT APPLICABLE Gas group CHLORINE Benzene content NOT APPLICABLE **Lead content N**OT APPLICABLE **VOC** (volatile organic **NOT APPLICABLE** compounds)

#### **SECTION 10: STABILITY AND REACTIVITY**

Page 5 of 8 Revision: 1

#### 10.1 REACTIVITY

ACIDS, ALKALI METALS, AMMONIA, COPPER AND ITS ALLOYS, ORGANIC MATERIALS,
STRONG OXIDISING AGENTS

#### 10.2 CHEMICAL STABILITY

	DO NOT ALLOW TO FREEZE. STABLE UNDER NORMAL CONDITIONS
--	--

#### 10.3 Possibility of Hazardous reactions

CONTACT WITH ACIDS LIBERATES TOXIC GAS. OXIDISING AGENT	CONTACT WITH ACIDS LIBERATES TOXIC GAS. OXIDISING AGENT
---	---

#### 10.4 CONDITIONS TO AVOID

	HEAT WILL INCREASE PRESSURE IN SEALED CONTAINER.
--	--

#### 10.5 INCOMPATIBLE MATERIALS

ACIDS, ALKALI METALS. CONTAC WITH ACIDS LIBERATES TOXIC GAS (CHLORINE)
--

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

	CHLORINE
--	----------

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity	NO DATA AVAILABLE
Skin corrosion/irritation	CAUSE IRRITATION TO SKIN
Serious eye damage/irritation	CAUSE IRRITATION TO EYES.
Respiratory or skin sensitisation	MAY CAUSE SENSITISATION BY INHALATION AND SKIN CONTACT.
Germ cell mutagenicity	NO DATA IS AVAILABLE ON THIS PRODUCT.
Carcinogenicity	NO DATA IS AVAILABLE ON THIS PRODUCT.
Reproductive toxicity	NO DATA IS AVAILABLE ON THIS PRODUCT.
STOT-single exposure	NO DATA IS AVAILABLE ON THIS PRODUCT.
STOT-repeated exposure	NO DATA IS AVAILABLE ON THIS PRODUCT.
11.1.4 Toxicological Information	NO DATA AVAILABLE

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### **12.1 TOXICITY**

New 38 Bleach	INHALATION RAT LC50/15MIN: 10.5	DERMAL RAT LD: 2000MG/KG
	ORAL MOUSE LD50: 2900-3400MG/KG	

Page 6 of 8 Revision: 1

Sodi	um Hypochlorite 14-15%	DERMAL RAT LD50:2000	ORAL RAT LD50: 1100
12.2	12.2 PERSISTENCE AND DEGRADABILITY		
		More than 90% biodegradable	
12.3	12.3 BIOACCUMULATIVE POTENTIAL		
		DOES NOT BIOACCUMULATE	
12.4 MOBILITY IN SOIL			
		DO NOT LET PRODUCT CONTAMINATE SUBSOIL.	
12.5 RESULTS OF PBT AND VPVB ASSESSMENT			
		DNEL: DERIVED NO EFFECT LEVEL	
12.6	OTHER ADVERSE EFFECTS		

DNEL: DERIVED NO EFFECT LEVEL

SECTION 13: DISPOSAL CONSIDERATIONS			
13.1 WASTE TREATMENT METHODS	13.1 WASTE TREATMENT METHODS		
	DISCHARGE USED SOLUTIONS TO DRAIN. SMALL AMOUNTS (LESS THAN 5 LITRES) OF UNWANTED PRODUCT MAY BE FLUSHED WITH WATER TO SEWER. LARGE VOLUMES MUST BE SENT FOR DISPOSAL AS SPECIAL WASTE. RINSE OUT EMPTY CONTAINER WITH WATER AND CONSIGN TO NORMAL WASTE.		
GENERAL INFORMATION			
	This product is considered as none hazardous		
DISPOSAL METHODS			
	LOCAL AND NATIONAL REGULATIONS. THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY.		
DISPOSAL OF PACKAGING			
	EMPTY CONTAINERS CAN BE CLEANED WITH WATER. EMPTY CONTAINERS CAN BE SENT FOR DISPOSAL OR RECYCLING.		

SECTION 14: TRANSPORT INFORMATION	
ADR/RID	THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS FOR CARRIAGE.
IMDG	THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS FOR CARRIAGE.
IATA	THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS FOR CARRIAGE.

#### **SECTION 15: REGULATORY INFORMATION**

## 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 AMENDING
	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE

Page 7 of 8 Revision: 1

COUNCIL ON THE REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICAL AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO 793/93 AND COMMISSION REGULATION (EC) NO 1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC AND COMMISSION DIRECTIVE 91/155/EEC, 93/67/EEC, 93/105EC AND 2000/21/EC. REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 DECEMBER 2006 CONCERNING THE REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS (REACH) ESTABLISHING A EUROPEAN CHEMICAL AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO 793/93 AND COMMISSION REGULATION (EC) NO 1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC AND COMMISSION DIRECTIVES 91/155/EEC, 93/67/EEC AND 2000/21/EC

#### 15.2 CHEMICAL SAFETY ASSESSMENT

	NO DATA IS AVAILABLE ON THIS PRODUCT
--	--------------------------------------

#### **SECTION 16: OTHER INFORMATION**

#### **OTHER INFORMATION**

Text of risk phrases in Section 3	H315-CAUSES SKIN IRRITATION
	H400-VERY TOXIC TO AQUATIC LIFE.

#### **GENERAL INFORMATION**

THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS FOR CARRIAGE. THIS INFORMATION IS
CORRECT TO THE BEST OF OUR KNOWLEDGE AND BELIEF AT THE DATE OF PUBLICATION
HOWEVER NO GUARANTEE IS MADE TO ITS ACCURACY.

#### **FURTHER INFORMATION**

The information contained in this data sheet is, to the best of our knowledge and belief, accurate and is based upon our technical knowledge of the product and the date of issue. No warranty or representation, express or implied, is made as to its accuracy, reliability or completeness.

NEWLINE LTDWILL NOT BE RESPONSIBLE FOR ANY DAMAGE OR INJURY RESULTING FROM ANY INHERENT HAZARD OF THE MATERIAL, THE ABNORMAL USE OF THE MATERIAL OR FROM FAILURE TO ADHERE TO RECOMMENDATION.

Page 8 of 8 Revision: 1