



SAFETY DATA SHEET DESTAIN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|-------------------------|--------------------------|
| Product name | DESTAIN |
| Product number | C001 EV |
| Internal identification | Professional Hygiene |
| UFI | UFI: 8W2M-P1VP-UG0D-XDQV |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------|---|
| Identified uses | Tannin remover Suitable for use in the food Industry. |
|-----------------|---|

1.3. Details of the supplier of the safety data sheet

| | | |
|----------|---|-------------------------------|
| Supplier | UK Supplier: | EU Supplier: |
| | Evans Vanodine International plc | Evans Vanodine Europe |
| | Brierley Road, | 6-9 Trinity Street, Dublin 2. |
| | Walton Summit, | D02 EY47. |
| | Preston. UK. PR5 8AH | Republic of Ireland. |
| | Tel: 01772 322 200 | |
| | e-mail: productcompliance@evansvanodine.co.uk | |

1.4. Emergency telephone number

| | |
|-------------------------------------|---|
| Emergency telephone | New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to 1.30pm |
| National emergency telephone number | For Health Care Professionals only - For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

| | |
|-----------------------|---|
| Physical hazards | Not Classified |
| Health hazards | Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 |
| Environmental hazards | Aquatic Chronic 2 - H411 |

2.2. Label elements

Hazard pictograms



DESTAIN

| | |
|---------------------------------------|---|
| Signal word | Danger |
| Hazard statements | H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects. |
| Precautionary statements | P102 Keep out of reach of children. P260 Do not breathe dust. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/ container in accordance with local regulations. |
| Supplemental label information | EUH031 Contact with acids liberates toxic gas. |
| Contains | DISODIUM METASILICATE, TROCLOSENE SODIUM, DIHYDRATE (Sodium Dichloroisocyanurate Dihydrate) |

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | |
|--|----------------------|
| SODIUM CARBONATE | 30-60% |
| CAS number: 497-19-8 | EC number: 207-838-8 |
| Classification Eye Irrit. 2 - H319 | |
| PENTASODIUM TRIPHOSPHATE | 5-10% |
| CAS number: 7758-29-4 | EC number: 231-838-7 |
| Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 | |
| DISODIUM METASILICATE | 5-10% |
| CAS number: 6834-92-0 | EC number: 229-912-9 |
| Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 | |

DESTAIN

| | | |
|---|------------------------|-------------|
| TROCLOSENE SODIUM, DIHYDRATE (Sodium Dichloroisocyanurate Dihydrate) | | 3-5% |
| CAS number: 51580-86-0 | EC number: 220-767-7 | |
| M factor (Acute) = 1 | M factor (Chronic) = 1 | |
| Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | | |
| SODIUM SILICATE | | 1-3% |
| CAS number: — | | |
| Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 | | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------|--|
| Inhalation | Move affected person to fresh air at once. Get medical attention if any discomfort continues. |
| Ingestion | Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately. |
| Skin contact | Wash with plenty of water. Get medical attention promptly if symptoms occur after washing. |
| Eye contact | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|---|
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| Inhalation | Irritation of nose, throat and airway. |
| Ingestion | May cause chemical burns in mouth and throat. |
| Skin contact | Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin. |
| Eye contact | Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|------------------------|
| Notes for the doctor | Treat symptomatically. |
|-----------------------------|------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

DESTAIN

Specific hazards Thermal decomposition or combustion products may include the following substances:
Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Toxic to aquatic life with long lasting effects. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Flush away spillage with plenty of water. Large Spillages: Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing, gloves, eye and face protection. Avoid inhalation of dust. Never add water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by carefully pouring the product into water. DO NOT mix with other chemicals. Contact with acids liberates toxic gas.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away from the following materials: Acids.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM CARBONATE

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

DESTAIN

Protective equipment



| | |
|---|---|
| Appropriate engineering controls | Use mechanical ventilation if there is a risk of handling causing formation of airborne dust. |
| Eye/face protection | The following protection should be worn: Chemical splash goggles or face shield. |
| Hand protection | Wear protective gloves. (Household rubber gloves.) |
| Other skin and body protection | Wear appropriate clothing to prevent any possibility of skin contact. |
| Respiratory protection | Respiratory protection not required. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Appearance | Powder. |
| Colour | White. |
| Odour | Faint Chlorine. |
| pH | pH (diluted solution): 10.5 - 11.5 @ 1% |
| Melting point | Not applicable. |
| Initial boiling point and range | Not applicable. |
| Flash point | Not applicable. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | Not applicable. |
| Vapour pressure | Not applicable. |
| Vapour density | Not applicable. |
| Relative density | Not applicable. |
| Solubility(ies) | Soluble in water. |
| Partition coefficient | Not applicable. |
| Auto-ignition temperature | Not applicable. |
| Decomposition Temperature | Not applicable. |
| Viscosity | Not applicable. |

9.2. Other information

| | |
|--------------------------|----------------|
| Other information | None. |
| Particle size | Not available. |

SECTION 10: Stability and reactivity

10.1. Reactivity

DESTAIN

Reactivity Reacts violently with strong acids. Generates toxic gas in contact with acid. The product reacts with water and will generate heat. The product will harden into a solid mass in contact with water and moisture.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions See sections 10.1, 10.4 & 10.5

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. The product will harden into a solid mass in contact with water and moisture.

10.5. Incompatible materials

Materials to avoid Strong acids. Aluminium, Tin, Zinc and their alloys.

10.6. Hazardous decomposition products

Hazardous decomposition products Toxic chlorine gas can be released if heated.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Other health effects Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 14,700.01

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Serious eye damage/irritation

Summary Not applicable.

Respiratory sensitisation

Summary Not applicable.

Skin sensitisation

Summary Not applicable.

Germ cell mutagenicity

Summary Not applicable.

Carcinogenicity

Summary Not applicable.

Reproductive toxicity

Summary Not applicable.

Specific target organ toxicity - single exposure

DESTAIN

STOT - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Summary Not applicable.

Aspiration hazard

Summary Not applicable.

11.2 Information on other Hazards 11.2.1 Endocrine disrupting properties None known.

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects. Another potential hazard is from the alkalinity of the product.

12.1. Toxicity

Toxicity We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Persistence and degradability Rapidly degrades to Sodium Chloride by chemical reaction with organic matter in effluent.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not applicable.

12.4. Mobility in soil

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6 Endocrine disrupting properties None known.

12.6. Other adverse effects

Other adverse effects Now section 12.7: None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3262

UN No. (IMDG) 3262

DESTAIN

UN No. (ICAO) 3262

14.2. UN proper shipping name

Proper shipping name (ADR/RID) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate and troclosene sodium, dihydrate)

Proper shipping name (IMDG) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate and troclosene sodium, dihydrate)

Proper shipping name (ICAO) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate and troclosene sodium, dihydrate)

14.3. Transport hazard class(es)

ADR/RID class Class 8: Corrosive substances.

ADR/RID label 8

IMDG class Class 8: Corrosive substances.

ICAO class/division Class 8: Corrosive substances.

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ICAO packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-B

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant. for a packaged product.

Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

DESTAIN

EU legislation

Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.
ATE: Acute Toxicity Estimate.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
IMDG: International Maritime Dangerous Goods.
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.
GHS: Globally Harmonized System.

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Eye Dam. = Serious eye damage
Eye Irrit. = Eye irritation
Skin Corr. = Skin corrosion
Skin Irrit. = Skin irritation
STOT SE = Specific target organ toxicity-single exposure

Key literature references and sources for data

Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.

Classification procedures according to SI 2019 No. 720

Calculation Method.

Revision comments

New Format Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 453/2010 & 1907/2006). - No change in Product Classification. (Changes made to sections 2,3,9,11,12,15+16)

Revision date

10/12/2022

Revision

11

SDS status

The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.

DESTAIN

Hazard statements in full

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.