

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1. Product identifier Product name : PURELL® ANTIMICROBIAL WIPES PLUS (FDSUL482) Product code : TSA84. 1.2. Relevant identified uses of the substance or mixture and uses advised against Wipes antiseptic 1.3. Details of the supplier of the safety data sheet Registered company name : GOJO Industries-Europe Ltd. Address : Units 5 & 6, Stratus Park.MK10 0DE.Brinklow, Milton Keynes.England. Telephone : +44(0) 1908588444. Fax : +44(0) 1908588445. infoUK@gojo.com **1.4.** Emergency telephone number : +44(0) 8445605135. Association/Organisation : . http://echa.europa.eu/fr/support/helpdesks/national-helpdesks/list-of-national-helpdesks Other emergency numbers Belgique, België, Belgien / Lëtzebuerg, Luxemburg, Luxembourg : Centre Anti-Poisons/Antigifcentrum: 0032 (0)70 245 245 Österreich : Vergiftungsinformationszentrale Vienna: +43 1 406 43 43 Deutschland : Giftnotruf Berlin: +49 30 19240 Bulgaria : Emergency Medical Institute Pirogov: +359 2 9154 409 Hrvatska : Poison Control Centre Zagreb: +358 1 2348 342 Danmark : Poison Hotline, Bispebjerg Hospital: +45 82 12 12 12 España : Teléfono Instituto Nacional de Toxicología: +34 91 562 04 20 Eesti: Estonian Poison Information Centre: +372 62 69 379 Suomi, Finland : Finland Poison Information Centre:+358 9 471 977 Greece : Poisons Information Centre: +30 21 07 79 37 77 Magyarország : Health Toxicological Information Service: +36 80 20 11 99 Ireland, Éire : Ireland National Poisons Information Centre: +353 1 8379964 Ísland : Iceland Poison Information Centre: +354 525 111, +354 543 2222 Italia : Centro Antiveleni, Roma: +39 06 305 4343 Latvija : Latvian Poisons Information Centre: +371 6704 2473 Lietuva : Apsinuodijimu kontroles ir informacijos biuras: +370 2 36 20 52, +370 687 53378 Malta : Mater Dei Hospital: + 356 21450000 Norge, Noreg : Norway Poisons Information:+ 47 22 591300 Nederland : Nationaal Vergiftigingen Informatie Centrum: +31 30 274 88 88 Polska : Poland Poison Control and Information Centre, Warsaw: +48 22 619 66 54, +48 22 619 08 97 Portugal : Centro de Informação Antivenenos: +351 21 330 3284 România : Spitalul de Urgenta Floreasca: +40 21 230 8000 United Kingdom : Guy's & St Thomas' Poisons Unit, London: +44 870 243 2241 Slovensko : National Toxicological Information Centre : +421 2 54 77 4 166 Slovenija : Poison Centre: + 386 41 650 500 Sverige : Giftinformationscentralen, Stockholm: +46 8 33 12 31 Schweiz, Suisse, Svizzera, Svizra : Swiss Toxicological Information Centre: +41 44 251 51 51 Cesko : Toxicological Information Centre: +420 22 49 192 93 **SECTION 2 : HAZARDS IDENTIFICATION** 2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

2.2. Label elements

Biocidal mixture (see section 15).

| In compliance with EC regulation No. 1272/2008 and its amendments. | | |
|--|--|--|
| Hazard statements : | | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| Precautionary statements - Prevention | : | |
| P273 | Avoid release to the environment. | |
| Precautionary statements - Disposal : | | |
| P501 | Dispose of contents/container to a waste container | |
| | | |

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

| Composition : | | | <u>.</u> |
|---------------------------|-------------------------|------|----------------------|
| Identification | (EC) 1272/2008 | Note | % |
| INDEX: 603-002-00-5 | GHS02 | [1] | 2.5 <= x % < 10 |
| CAS: 64-17-5 | Dgr | | |
| EC: 200-578-6 | Flam. Liq. 2, H225 | | |
| ETHANOL | | | |
| CAS: 57-55-6 | | [1] | $0 \le x \% \le 2.5$ |
| EC: 200-338-0 | | [-] | |
| PROPYLENE GLYCOL | | | |
| CAS: 85409-22-9 | GHS07, GHS05, GHS09 | | 0 <= x % < 2.5 |
| EC: 287-089-1 | Dgr | | |
| | Acute Tox. 4, H302 | | |
| BENZALKONIUM CHLORIDE | Skin Corr. 1B, H314 | | |
| | Aquatic Acute 1, H400 | | |
| | M Acute = 1 | | |
| | Aquatic Chronic 1, H410 | | |
| | M Chronic $= 1$ | | |
| CAS: 18472-51-0 | GHS05, GHS09 | | 0 <= x % < 2.5 |
| EC: 242-354-0 | Dgr | | |
| | Eye Dam. 1, H318 | | |
| CHLORHEXIDINE DIGLUCONATE | Aquatic Acute 1, H400 | | |
| | M Acute = 10 | | |
| | Aquatic Chronic 1, H410 | | |
| | M Chronic $= 1$ | | |

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

- In the event of a fire, use :
- carbon dioxide (CO2)
- powder
- foam

- dry sand

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Store in its original closed packaging and in Of normal storage conditions. Avoid temperatures above 40 $^\circ$ C.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

| · · · · · · · · · · · · · · · · · · · | | 1 | 1 | , , , | 1 | - ´ ´ |
|---------------------------------------|---------------------|-----------------|----------------|--------------|------------|----------|
| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : | |
| 64-17-5 | | 1000 ppm | | A3 | | |
| - Germany - AG | W (BAuA - TRGS | 900, 21/06/201 | 0): | | | |
| CAS | VME : | VME : | Excess | Notes | | |
| 64-17-5 | | 500 ppm | | 2(II) | | |
| | | 960 mg/m3 | | | | |
| - Australia (NOF | HSC: 3008, 1995) : | | | | | |
| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |] |
| 64-17-5 | 1000 ppm | | | Н | | |
| | 1880 mg/m3 | | | | | |
| 57-55-6 | 10 mg/m3 | | | | |] |
| - Belgium (Order | r of 19/05/2009, 20 | 010): | | | | |
| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |] |
| 64-17-5 | 1000 ppm | | | | | |
| | 1907 mg/m3 | | | | | |
| - France (INRS - | ED984 :2012) : | | | | | |
| CAS | VME-ppm : | VME-mg/m3 : | VLE-ppm : | VLE-mg/m3: | Notes : | TMP No : |
| 64-17-5 | 1000 | 1900 | 5000 | 9500 | - | 84 |
| - Switzerland (SI | UVA 2015) : | | | | | |
| CAS | VME | VLE | Valeur plafond | Notations | | |
| 64-17-5 | 500 ppm | 1000 ppm | | SSC | | |
| | 960 mg/m3 | 1920 mg/m3 | | | | |
| - UK / WEL (We | orkplace exposure | limits, EH40/20 | 05, 2007) : | | | |
| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |] |
| 64-17-5 | 1000 ppm | | | | | |
| | 1920 mg/m3 | | | | | |
| 57-55-6 | 150 ppm | | | | | |
| | 474 mg/m3 | | | | | |

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Body protection

Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Fluid liquid. | | | | |
|--|--|--|--|--|
| Important health, safety and environmental information | | | | |
| 4.5 - 6.5 | | | | |
| Not relevant. | | | | |
| 62.50 °C. | | | | |
| | | | | |

| Vapour pressure (50°C) : | Below 110 kPa (1.10 bar). | | | |
|--|--|--|--|--|
| Density : | 0.99 - 1.00 | | | |
| Water solubility : | Insoluble. | | | |
| These data refer to the impregnation solution. | | | | |
| 9.2. Other information | | | | |
| No data available. | | | | |
| SECTION 10 : STABILITY AND REACTIVITY | 7 | | | |
| 10.1. Reactivity | | | | |
| No data available. | | | | |
| 10.2. Chemical stability | | | | |
| This mixture is stable under the recommended h | andling and storage conditions in section 7. | | | |
| 10.3. Possibility of hazardous reactions | | | | |
| No data available. | | | | |
| 10.4. Conditions to avoid | | | | |
| 10.5. Incompatible materials | | | | |
| 10.6. Hazardous decomposition products | | | | |
| The thermal decomposition may release/form : | | | | |
| - carbon monoxide (CO) | | | | |
| - carbon dioxide (CO2) | | | | |
| SECTION 11 : TOXICOLOGICAL INFORMAT | TON | | | |
| 11.1. Information on toxicological effects | | | | |
| No data available. | | | | |
| 11.1.1. Substances | | | | |
| No toxicological data available for the substance | 28. | | | |
| 11.1.2. Mixture | | | | |
| Acute toxicity : | | | | |
| Oral route : | No observed effect. | | | |
| | Species : Mouse | | | |
| | LD50 = 20000 mg/kg | | | |
| SECTION 12 : ECOLOGICAL INFORMATION | | | | |
| Harmful to aquatic life with long lasting effects. | | | | |
| The product must not be allowed to run into dra | ins or waterways. | | | |
| 12.1. Toxicity | | | | |
| 12.1.1. Substances | | | | |
| CHLORHEXIDINE DIGLUCONATE (CAS | | | | |
| Fish toxicity : | LC50 = 2.08 mg/l | | | |
| Crustacean toxicity : | EC50 = 0.087 mg/l | | | |
| | Factor $M = 10$ | | | |
| | Species : Daphnia magna | | | |
| | NOEC = 0.02 mg/l | | | |
| | Factor $M = 1$ | | | |
| | Species : Daphnia magna | | | |
| Algae toxicity : | ECr50 = 0.081 mg/l | | | |
| | Factor $M = 10$ | | | |
| 12.1.2. Mixtures | | | | |
| No aquatic toxicity data available for the mixture | e. | | | |
| The aquate tomony data available for the fill that | | | | |
| | | | | |
| | | | | |

12.2. Persistence and degradability

12.2.1. Substances

CHLORHEXIDINE DIGLUCONATE (CAS: 18472-51-0) Biodegradability : Rapidly degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

- 14.5. Environmental hazards
- _

14.6. Special precautions for user

-

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

No data available.

- Particular provisions :
- No data available.

- Labelling for biocidal products (Regulation 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC)

| Name | CAS | % | Product-type |
|---------------------------|------------|------------|--------------|
| ETHANOL | 64-17-5 | 48.00 g/kg | 01 |
| | | | 02 |
| BENZALKONIUM CHLORIDE | 85409-22-9 | 3.00 g/kg | 01 |
| | | | 02 |
| CHLORHEXIDINE DIGLUCONATE | 18472-51-0 | 1.20 g/kg | 01 |
| | | | 02 |

Product-type 1 : Human hygiene.

Product-type 2 : Disinfectants and algaecides not intended for direct application to humans or animals.

15.2. Chemical safety assessment

No data available.

:

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

| H225 | Highly flammable liquid and vapour. |
|------|---|
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.