

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

- 1.1 Product identifier:** DII.060  
Industrial Tanning Remover Powder
- Other means of identification:**  
Non-applicable
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Detergent  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
Direct Independent Imports Limited  
Amber Business Centre, Greenhill Lane  
DE55 4BR Riddings - United Kingdom  
Phone: 0800 0542484 - Fax: 0845 2710526  
info@directimportsuk.co.uk  
https://directimportsuk.co.uk/
- 1.4 Emergency telephone number:** NHS Direct 111

**SECTION 2: HAZARDS IDENTIFICATION**

- 2.1 Classification of the substance or mixture:**  
**GB CLP Regulation:**  
Classification of this product has been carried out in accordance with GB CLP Regulation.  
Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302  
Eye Dam. 1: Serious eye damage, Category 1, H318  
Ox. Sol. 3: Oxidising Solid, Category 3, H272
- 2.2 Label elements:**  
**GB CLP Regulation:**  
**Danger**
- 


- Hazard statements:**  
Acute Tox. 4: H302 - Harmful if swallowed.  
Eye Dam. 1: H318 - Causes serious eye damage.  
Ox. Sol. 3: H272 - May intensify fire, oxidiser.
- Precautionary statements:**  
P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220: Keep or store away from combustible materials.  
P264: Wash thoroughly after use.  
P280: Wear protective gloves/protective clothing/eye protection/protective footwear.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER/doctor.  
P370+P378: In case of fire: Use large quantities of water to extinguish the fire.  
P501: Dispose of the contents and/or its container using the separate collection system in your municipality.
- Substances that contribute to the classification**  
Disodium carbonate, compound with hydrogen peroxide (2:3); sodium carbonate
- Labelling for contents:**
- | Component                     | Concentration interval |
|-------------------------------|------------------------|
| Oxygen-based bleaching agents | % (w/w) >= 30          |
- 2.3 Other hazards:**  
Product fails to meet PBT/vPvB criteria

- CONTINUED ON NEXT PAGE -

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substance:**

Non-applicable

**3.2 Mixture:**

**Chemical description:** Mixture of complexing agents, alkali silicates, sodium carbonate and surfactants

**Components:**

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

| Identification  | Chemical name/Classification                                                                                                        | Concentration |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------|
| CAS: 15630-89-4 | <b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b><br>Acute Tox. 4: H302; Eye Dam. 1: H318; Ox. Sol. 3: H272 - Danger | 25 - <50 %    |
| CAS: 497-19-8   | <b>sodium carbonate</b><br>Eye Irrit. 2: H319 - Warning                                                                             | 25 - <50 %    |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

| Identification                                                               | Specific concentration limit                                              |
|------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| Disodium carbonate, compound with hydrogen peroxide (2:3)<br>CAS: 15630-89-4 | % (w/w) >=25: Eye Dam. 1 - H318<br>7.5<= % (w/w) <25: Eye Irrit. 2 - H319 |

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

**By skin contact:**

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

**By eye contact:**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media:**

**Suitable extinguishing media:**

Use preferably water.

**Unsuitable extinguishing media:**

Chemical extinguishers or foam.

- CONTINUED ON NEXT PAGE -

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

## SECTION 5: FIREFIGHTING MEASURES (continued)

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

MAY INTENSIFY FIRE, OXIDISER. Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

#### B.- Technical recommendations for the prevention of fires and explosions

AVOID ANY IGNITION SOURCE, as well as combustible and/or inflammable material. Devices and systems must comply with the essential safety and health requirements and, with the minimum requirements for improving the health and safety protection of workers. Consult section 10 for conditions and materials that should be avoided.

#### C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

#### A.- Technical measures for storage

Minimum Temp.: 2 °C

Maximum Temp.: 35 °C

Maximum time: 24 Months

#### B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

- CONTINUED ON NEXT PAGE -

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

**SECTION 7: HANDLING AND STORAGE (continued)**

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace:

Nuisance dust: Inhalable dust 10 mg/m<sup>3</sup> // Respirable dust 4 mg/m<sup>3</sup>

**DNEL (Workers):**

| Identification                                                                                |            | Short exposure |                | Long exposure  |                      |
|-----------------------------------------------------------------------------------------------|------------|----------------|----------------|----------------|----------------------|
|                                                                                               |            | Systemic       | Local          | Systemic       | Local                |
| Disodium carbonate, compound with hydrogen peroxide (2:3)<br>CAS: 15630-89-4<br>EC: 239-707-6 | Oral       | Non-applicable | Non-applicable | Non-applicable | Non-applicable       |
|                                                                                               | Dermal     | Non-applicable | Non-applicable | Non-applicable | Non-applicable       |
|                                                                                               | Inhalation | Non-applicable | Non-applicable | Non-applicable | 5 mg/m <sup>3</sup>  |
| sodium carbonate<br>CAS: 497-19-8<br>EC: 207-838-8                                            | Oral       | Non-applicable | Non-applicable | Non-applicable | Non-applicable       |
|                                                                                               | Dermal     | Non-applicable | Non-applicable | Non-applicable | Non-applicable       |
|                                                                                               | Inhalation | Non-applicable | Non-applicable | Non-applicable | 10 mg/m <sup>3</sup> |

**DNEL (General population):**

| Identification                                     |            | Short exposure |                      | Long exposure  |                |
|----------------------------------------------------|------------|----------------|----------------------|----------------|----------------|
|                                                    |            | Systemic       | Local                | Systemic       | Local          |
| sodium carbonate<br>CAS: 497-19-8<br>EC: 207-838-8 | Oral       | Non-applicable | Non-applicable       | Non-applicable | Non-applicable |
|                                                    | Dermal     | Non-applicable | Non-applicable       | Non-applicable | Non-applicable |
|                                                    | Inhalation | Non-applicable | 10 mg/m <sup>3</sup> | Non-applicable | Non-applicable |

**PNEC:**

| Identification                                                                                |              |                |                         |                |  |
|-----------------------------------------------------------------------------------------------|--------------|----------------|-------------------------|----------------|--|
| Disodium carbonate, compound with hydrogen peroxide (2:3)<br>CAS: 15630-89-4<br>EC: 239-707-6 | STP          | 16.24 mg/L     | Fresh water             | 0.035 mg/L     |  |
|                                                                                               | Soil         | Non-applicable | Marine water            | 0.035 mg/L     |  |
|                                                                                               | Intermittent | 0.035 mg/L     | Sediment (Fresh water)  | Non-applicable |  |
|                                                                                               | Oral         | Non-applicable | Sediment (Marine water) | Non-applicable |  |

**8.2 Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram                                                                                                        | PPE                                   | Remarks                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory hand protection | Protective gloves against minor risks | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

- CONTINUED ON NEXT PAGE -

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Pictogram                                                                                                      | PPE                                           | Remarks                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

**E.- Body protection**

| Pictogram | PPE                  | Remarks                                                                                                                                                                                                                                                           |
|-----------|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Work clothing        | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007                                 |

**F.- Additional emergency measures**

| Emergency measure                                                                                      | Standards                                       | Emergency measure                                                                                       | Standards                                      |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------|---------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

Physical state at 20 °C: Solid  
Appearance: Powdery  
Colour: ☐ White  
Odour: Characteristic  
Odour threshold: Non-applicable \*

**Volatility:**

Boiling point at atmospheric pressure: Non-applicable \*  
Vapour pressure at 20 °C: Non-applicable \*  
Vapour pressure at 50 °C: Non-applicable \*  
Evaporation rate at 20 °C: Non-applicable \*

**Product description:**

Density at 20 °C: 1930.6 kg/m<sup>3</sup>  
Relative density at 20 °C: 1.931  
Dynamic viscosity at 20 °C: Non-applicable \*  
Kinematic viscosity at 20 °C: Non-applicable \*  
Kinematic viscosity at 40 °C: Non-applicable \*  
Concentration: Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

|                                              |                  |
|----------------------------------------------|------------------|
| pH:                                          | Non-applicable * |
| Vapour density at 20 °C:                     | Non-applicable * |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable * |
| Solubility in water at 20 °C:                | Non-applicable * |
| Solubility properties:                       | Soluble          |
| Decomposition temperature:                   | Non-applicable * |
| Melting point/freezing point:                | Non-applicable * |

**Flammability:**

|                            |                  |
|----------------------------|------------------|
| Flash Point:               | Non-applicable   |
| Flammability (solid, gas): | Non-applicable * |
| Autoignition temperature:  | Non-applicable * |
| Lower flammability limit:  | Non-applicable * |
| Upper flammability limit:  | Non-applicable * |

**Explosive (Solid):**

|                        |                  |
|------------------------|------------------|
| Lower explosive limit: | Non-applicable * |
| Upper explosive limit: | Non-applicable * |

**Particle characteristics:**

|                             |                  |
|-----------------------------|------------------|
| Median equivalent diameter: | Non-applicable * |
|-----------------------------|------------------|

**9.2 Other information:**

**Information with regard to physical hazard classes:**

|                                                              |                                    |
|--------------------------------------------------------------|------------------------------------|
| Explosive properties:                                        | Non-applicable *                   |
| Oxidising properties:                                        | H272 May intensify fire, oxidiser. |
| Corrosive to metals:                                         | Non-applicable *                   |
| Heat of combustion:                                          | Non-applicable *                   |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable *                   |

**Other safety characteristics:**

|                           |                  |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index:         | Non-applicable * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity       |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Not applicable |

**10.5 Incompatible materials:**

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Not applicable      | Avoid direct impact   | Avoid alkalis or strong bases |

- CONTINUED ON NEXT PAGE -

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

**SECTION 10: STABILITY AND REACTIVITY (continued)**

**10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects:**

The experimental information related to the toxicological properties of the product itself is not available

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces serious eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

- CONTINUED ON NEXT PAGE -

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

| Identification                                                               | Acute toxicity  |             | Genus |
|------------------------------------------------------------------------------|-----------------|-------------|-------|
| Disodium carbonate, compound with hydrogen peroxide (2:3)<br>CAS: 15630-89-4 | LD50 oral       | 1034 mg/kg  | Rat   |
|                                                                              | LD50 dermal     | >5000 mg/kg |       |
|                                                                              | LC50 inhalation | >5 mg/L     |       |
| sodium carbonate<br>CAS: 497-19-8                                            | LD50 oral       | 2800 mg/kg  | Rat   |
|                                                                              | LD50 dermal     | >5000 mg/kg |       |
|                                                                              | LC50 inhalation | >5 mg/L     |       |

**Acute Toxicity Estimate (ATE mix):**

| ATE mix    |                                    | Ingredient(s) of unknown toxicity |
|------------|------------------------------------|-----------------------------------|
| Oral       | 2110.2 mg/kg (Calculation method)  | 0 %                               |
| Dermal     | >5000 mg/kg (Calculation method)   | Non-applicable                    |
| Inhalation | >5 mg/L (4 h) (Calculation method) | Non-applicable                    |

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

**12.1 Toxicity:**

**Acute toxicity:**

| Identification                    | Concentration |                 | Species          | Genus      |
|-----------------------------------|---------------|-----------------|------------------|------------|
| sodium carbonate<br>CAS: 497-19-8 | LC50          | 740 mg/L (96 h) | Gambusia affinis | Fish       |
|                                   | EC50          | 265 mg/L (48 h) | Daphnia magna    | Crustacean |
|                                   | EC50          | Non-applicable  |                  |            |

**12.2 Persistence and degradability:**

Not available

**12.3 Bioaccumulative potential:**

Not available

**12.4 Mobility in soil:**

Not available

**12.5 Results of PBT and vPvB assessment:**

Product fails to meet PBT/vPvB criteria

**12.6 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods:**

| Code      | Description                                | Waste class |
|-----------|--------------------------------------------|-------------|
| 20 01 29* | detergents containing hazardous substances | Dangerous   |

**Type of waste:**

HP2 Oxidising, HP6 Acute Toxicity, HP4 Irritant — skin irritation and eye damage

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

- CONTINUED ON NEXT PAGE -

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

**SECTION 14: TRANSPORT INFORMATION**

**Transport of dangerous goods by land:**

With regard to ADR 2021 and RID 2021:



- |                                                                                 |                                |
|---------------------------------------------------------------------------------|--------------------------------|
| <b>14.1 UN number:</b>                                                          | UN3378                         |
| <b>14.2 UN proper shipping name:</b>                                            | SODIUM CARBONATE PEROXYHYDRATE |
| <b>14.3 Transport hazard class(es):</b>                                         | 5.1                            |
| Labels:                                                                         | 5.1                            |
| <b>14.4 Packing group:</b>                                                      | III                            |
| <b>14.5 Environmental hazards:</b>                                              | No                             |
| <b>14.6 Special precautions for user</b>                                        |                                |
| Tunnel restriction code:                                                        | E                              |
| Physico-Chemical properties:                                                    | see section 9                  |
| Limited quantities:                                                             | 5 kg                           |
| <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b> | Non-applicable                 |

**Transport of dangerous goods by sea:**

With regard to IMDG 40-20:



- |                                                                                 |                                |
|---------------------------------------------------------------------------------|--------------------------------|
| <b>14.1 UN number:</b>                                                          | UN3378                         |
| <b>14.2 UN proper shipping name:</b>                                            | SODIUM CARBONATE PEROXYHYDRATE |
| <b>14.3 Transport hazard class(es):</b>                                         | 5.1                            |
| Labels:                                                                         | 5.1                            |
| <b>14.4 Packing group:</b>                                                      | III                            |
| <b>14.5 Marine pollutant:</b>                                                   | No                             |
| <b>14.6 Special precautions for user</b>                                        |                                |
| Special regulations:                                                            | Non-applicable                 |
| EmS Codes:                                                                      | F-A, S-Q                       |
| Physico-Chemical properties:                                                    | see section 9                  |
| Limited quantities:                                                             | 5 kg                           |
| Segregation group:                                                              | SGG16                          |
| <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b> | Non-applicable                 |

**Transport of dangerous goods by air:**

With regard to IATA/ICAO 2022:



- |                                                                                 |                                |
|---------------------------------------------------------------------------------|--------------------------------|
| <b>14.1 UN number:</b>                                                          | UN3378                         |
| <b>14.2 UN proper shipping name:</b>                                            | SODIUM CARBONATE PEROXYHYDRATE |
| <b>14.3 Transport hazard class(es):</b>                                         | 5.1                            |
| Labels:                                                                         | 5.1                            |
| <b>14.4 Packing group:</b>                                                      | III                            |
| <b>14.5 Environmental hazards:</b>                                              | No                             |
| <b>14.6 Special precautions for user</b>                                        |                                |
| Physico-Chemical properties:                                                    | see section 9                  |
| <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b> | Non-applicable                 |

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

**The Detergents (Amendment) (EU Exit) Regulations:**

In accordance with this regulation the product complies with the following:

- CONTINUED ON NEXT PAGE -

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

**SECTION 15: REGULATORY INFORMATION (continued)**

**Labelling for contents:**

| Component                     | Concentration interval |
|-------------------------------|------------------------|
| Oxygen-based bleaching agents | % (w/w) >= 30          |

**The Control of Major Accident Hazards Regulations 2015:**

| Section | Description                  | Lower-tier requirements | Upper-tier requirements |
|---------|------------------------------|-------------------------|-------------------------|
| P8      | OXIDISING LIQUIDS AND SOLIDS | 50                      | 200                     |

**Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):**

Non-applicable

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.

Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

COSHH-SR24 Storing chemical products (small scale).

COSHH-SR2 Diluting chemical concentrates.

COSHH-SR4 Manual cleaning and disinfecting surfaces.

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019: SCHEDULE 34 - Amendment of Regulation (EC) No 1223/2009 and related amendments.

The Detergents (Amendment) (EU Exit) Regulations 2020.

**SECTION 16: OTHER INFORMATION**

**Legislation related to safety data sheets:**

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

**Texts of the legislative phrases mentioned in section 2:**

H272: May intensify fire, oxidiser.

H318: Causes serious eye damage.

H302: Harmful if swallowed.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**GB CLP Regulation:**

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Ox. Sol. 3: H272 - May intensify fire, oxidiser.

**Classification procedure:**

Eye Dam. 1: Calculation method

Acute Tox. 4: Calculation method

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

- CONTINUED ON NEXT PAGE -

**DII.060**  
**Industrial Tanning Remover Powder**

Printing: 09/11/2022

Date of compilation: 10/10/2022

Version: 1

**SECTION 16: OTHER INFORMATION (continued)**

ADR: European agreement concerning the international carriage of dangerous goods by road  
IMDG: International maritime dangerous goods code  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation  
COD: Chemical Oxygen Demand  
BOD5: 5day biochemical oxygen demand  
BCF: Bioconcentration factor  
LD50: Lethal Dose 50  
LC50: Lethal Concentration 50  
EC50: Effective concentration 50  
LogPOW: Octanolwater partition coefficient  
Koc: Partition coefficient of organic carbon  
UFI: unique formula identifier  
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -